

INDEX

- ACCEPTANCE CRITERIA 8-4, 8-10
- AGE DEPENDENT ANALYSIS (Fixed Configuration) 7-1, 10-3
 - Supporting Data Base 10-3, 10-10
- AUTOMATIC TEST EQUIPMENT (ATE)(see Diagnostic Systems, Automatic)
- AVAILABILITY
 - Achieved 4-4, 4-10
 - Assessment Considerations 4-6
 - Definition of 4-1
 - Elements of 4-1
 - Evaluation Approach to 4-5
 - Inherent 4-3, 4-9, 4-10
 - Mathematical Expressions of 4-2
 - Multi Mission/Mode 4-7
 - Relationship to Maintainability/Reliability 3-1
 - Simulation Models 4-8
- BINOMIAL MODEL 5-4
 - Assumptions Pertaining to 5-4
 - Confidence Limits, Calculation of 7-3, 7-19ff
 - Normal Approximation 7-4, 7-19ff
 - Poisson Approximation 7-5, 7-17ff
 - Hypothesis Testing 6-4
 - Normal Approximation 5-6, 5-16, 5-18ff
 - Point Estimate of Failure Probability 7-2, 7-19
 - Point Estimate of Reliability 7-3, 7-17
 - Poisson Approximation 5-6, 5-16, 5-18ff
 - Probability Computation 5-13ff, 5-15
 - Probability Plot 5-7
 - Test Design 8-4ff
 - Normal Approximation 8-5, 8-23ff
 - Poisson Approximation 8-6, 8-23ff
- BIT (BITE)
 - Automatic Fault Isolation Capability (AFIC) 3-6, 3-8
 - Characteristics External to 3-8
 - Development and Evaluation Considerations 3-10
 - Percent Detection 3-6, 3-8
 - Percent False Alarms 3-6, 3-7, 3-8
 - Percent False Removals 3-6, 3-7, 3-8
 - Percent Isolation 3-6, 3-8
 - Test and Evaluation of 3-12
- COMBINING DT AND OT DATA 10-6
- COMPUTER, RELIABILITY 7-28, 7-30ff
- CONFIDENCE LEVELS FOR PREESTABLISHED RELIABILITY LIMITS
 - Binomial Model 7-3ff, 7-15ff
 - Exponential Model 7-12ff, 7-30ff, 7-39ff, 7-42ff
- CONFIDENCE LIMITS 6-2
 - Difference of Two Proportions 7-6, 7-23ff
 - Failure Rate, Calculation of 7-14

CONFIDENCE LIMITS (cent'd)

Lower 6-3

MTBF, Calculation of **7-10ff**, 7-30ff, 7-39ff, **7-42ff**

Proportion of Failures, Calculation of
Binomial Model 7-3, **7-19ff**

Normal Approximation to Binomial 7-4, **7-19ff**

Poisson Approximation to Binomial 7-5, **7-17ff**

Ratio of Two proportions 7-7, 7-23ff

Reliability, Calculation of (Exponential Model) 7-14, 7-30

Upper 6-3

CONFIDENCE STATEMENTS

Definition of **6-1**

Interface with Hypothesis Testing 6-6

Interpretation of 6-2ff

CONSTANT FAILURE RATE ASSUMPTION 7-9, 7-27, 7-28, 8-7

CONSUMER'S RISK 6-5, **7-21ff**, **8-3ff**

CONTINUOUS MATHEMATICAL MODEL 5-3

Exponential (see Exponential)

Poisson (see Poisson)

Uniform 5-4

CONTINUOUS TIME TEST 7-2, 7-8

Constant Failure Rate Assumption 7-9, 7-27, 7-28, 8-7

Design of **8-7ff**

Failure Pattern Identification 7-8, 7-27, 7-28

CRITERIA, ACCEPTANCE 8-4, 8-10

DATA BASE COMPOSITION

Age Dependent Analysis, for 10-3

Combining DT and OT Data 10-6

Early Deployment Data 10-6

Field Data Retrieval System **10-6**

Lead-The-Force 10-7

Growth Analysis, for 10-4

DIAGNOSTIC SYSTEM, AUTOMATIC (see BIT)

Definition of 3-5

Need for 3-6

DIFFERENCE OF PROPORTIONS

Confidence Limits, Calculation of 7-6, 7-23ff

Point Estimate, Calculation of 7-6, 7-23ff

DISCRETE MATHEMATICAL MODEL 5-1

Binomial (see Binomial)

Hypergeometric 5-5

DISCRETE TIME TEST **7-2ff**

Binomial Model **7-2ff**

Design of **8-4ff**

DISCRIMINATION RATIO 8-8, 8-32ff

EARLY DEPLOYMENT DATA RETRIEVAL 10-6

ESTIMATES

Maximum Likelihood **6-1**

Point 6-1

EXPONENTIAL MODEL 5-3, 5-9
 Confidence Limits for Failure Rate 7-14
 Confidence Limits for MTBF **7-10ff**, 7-30ff, **7-39ff**, 7-42ff
 Confidence Limits for Reliability 7-14, 7-30ff
 Failure Rate, Point Estimate 7-10, 7-30ff
 MTBF, Point Estimate 7-9, 7-30ff, 7-42ff
 Reliability, Point Estimate 7-10, 7-30ff
 Test Design
 Graphical Representation of Test Planning Parameters **8-10ff**
 MIL-STD-105D and MIL-HBK-108 8-8
 MIL-STD-781C 8-8ff
 Poisson Distribution Equations **8-13ff**

EXPOSURE, TEST 5-8, 6-6ff, 6-10, **8-32ff**

FAILURE PROBABILITY, CONFIDENCE LIMITS
 Binomial Model 7-3

FAILURE PROBABILITY, POINT ESTIMATE
 Binomial Model 7-2
 p-Hat 7-2

FAILURE RATE
 Confidence Limits, Calculation of 7-14
 Constant, Assumption 7-9, 7-26, 7-28, 5-8, 8-7
 Definition of 2-2
 Plot of 7-8, 7-27, 7-28
 Point Estimate, Calculation of 7-30ff, 5-27, 5-29, 7-10

FAILURE, TERMINATED TEST **7-11ff**, 7-42ff

FAILURES
 Contractually Chargeable 2-4
 Mission 2-3
 Pattern Identification 7-8
 System 2-4

FAULT (SYNTHETIC), INSERTION 3-12

FIELD DATA RETRIEVAL SYSTEM 10-6

FIXED CONFIGURATION TEST 7-1

GROWTH (RELIABILITY) TEST 7-1, 9-1
 Supporting Data Base 10-4, 10-11

GROWTH (RELIABILITY) TEST CONCEPTS
 Growth Tracking
 Confidence Limits for MTBF 9-7, **9-14ff**
 Definition of 9-2
 Point Estimates of MTBF 9-7, **9-14ff**
 Supporting Data Base 10-4, **10-6ff**
 Idealized Growth
 Curve Development 9-2, **9-9ff**
 Definition of 9-1
 Duane Growth Model 9-2
 Growth Rate **9-2ff**, 9-9
 Planned Growth
 Curve Development 9-4, 9-13
 Definition of 9-2

HYPOTHESIS TESTING

- Acceptance Criteria 8-4
- Binomial Model 6-4, **7-21ff**
- Interface with Confidence Statement 6-6
- Procedure 6-4

INDEPENDENCE OF SUBSYSTEMS 2-5

MAINTAINABILITY

- Assessment Considerations 3-2
- Definition of 3-1
- Off-System Indices 3-5
- Physical Design Factors Affecting 3-2
- Quantitative Indices 3-3, 3-14

MAINTENANCE

- Annual Support, **Cost of** 3-5
- Corrective 3-2
- Definition of 3-1
- Preventive 3-2

MAINTENANCE RATIO (MR) 3-4, 3-14

MAXIMUM LIKELIHOOD **ESTIMATE** 6-1

MAXIMUM-TIME-TO-REPAIR (**MaxTTR**) 3-4

MEAN TIME BETWEEN FAILURE (**MTBF**)

- Confidence Interval, Calculation of **7-10ff**, 7-30ff, **7-39ff**, 7-42ff
- Definition of 2-1
- For Poisson Model 5-8
- Point Estimate, Calculation of 7-9, 7-30ff, 7-42ff

MEAN-TIME-BETWEEN-MAINTENANCE-ACTIONS (**MTBMA**) 3-4, 3-14

MEAN-TIME-TO-REPAIR (**MTTR**)(**McT**) 3-4, 3-14

MINIMUM ACCEPTABLE VALUE (**MAV**) 7-30, 6-5ff, 6-9, 6-10, 7-39, 7-42, **8-1ff**

MISSION FAILURES 2-3

MISSION RELIABILITY 7-28, 7-30

MODELS, MATHEMATICAL

- Continuous 5-3
 - Exponential 5-3, 5-9
 - Poisson 5-8
 - Uniform 5-4
- Discrete 5-1
 - Binomial 5-4
 - Hypergeometric 5-5

MODELS, SYSTEM RELIABILITIES

- Functional 2-8
- Mixed 2-7, 2-15, **10-8ff**
- Redundant 2-5, 2-13
- Series 2-5, 2-11, 2-12, 2-13, 2-19, 10-9

NON-HOMOGENEOUS POISSON 7-9

NORMAL APPROXIMATION TO BINOMIAL 5-6, 5-16, **5-18ff**

- Confidence Limit Calculations
 - Difference/Ratio of Proportions **7-6ff**, 7-23ff
 - Proportion of Failures 7-4, **7-19ff**

NORMAL APPROXIMATION TO BINOMIAL (cent'd)
 Test Design 8-5, 8-23ff
 NULL HYPOTHESIS 6-4ff

OPERATING CHARACTERISTICS CURVE
 Construction of
 for Binomial Model **8-19ff**
 for Poisson Model 8-19, 8-37
 Definition of 8-17

PLOT, FAILURE RATE 7-8, 7-27, 7-28

POINT ESTIMATE
 Definition of **6-1**
 Difference of Proportions 7-6, 7-23ff
 Failure Rate (Exponential) 7-10, **7-30ff**
 Maximum Likelihood 6-1
 MTBF (Exponential) 7-9, **7-30ff, 7-42ff**
 Proportion of Failures (Binomial) 7-2, 7-19
 Ratio of Proportions 7-6, 7-23ff
 Reliability 7-3, 7-9, **7-30ff**
 Unbiased **6-1**

POISSON APPROXIMATION TO BINOMIAL 5-6, 5-16, **5-18ff**
 Confidence Limit Calculation 7-5, **7-17ff**
 Test Design 8-6, 8-23ff

POISSON MODEL 5-8
 Assumptions Pertaining to 5-8
 Graphical Solution Procedure 8-16
 Non-Homogeneous 7-9
 Normal Approximation to 5-9
 Probability Computation 5-27, 5-29
 Probability Plot 5-10

PRODUCER'S RISK 6-5, **7-21ff, 8-3ff**

PROPORTION OF FAILURES (Binomial Model) 7-2
 Confidence Limits, Calculation of 7-3, **7-19ff**
 Point Estimate 7-2, 7-19
 Ratio/Difference of Proportions
 Confidence Limits, Calculation of 7-6, 7-23ff
 Point Estimate, Calculation of 7-6, 7-23ff

RATIO OF PROPORTIONS
 Confidence Limits, Calculation of 7-7, 7-23ff
 Point Estimate, Calculation of 7-6, 7-23ff

RECOVERY TIME 4-6

REDUNDANCY
 Active 2-6
 Characteristics of 2-5
 Implications of 2-7
 Model, System (see Models, System)
 Passive 2-6

RELIABILITY
 Allocation of 2-9, 2-17
 Computer **7-30ff**

RELIABILITY (cent'd)

- Confidence Limits, Calculations of (Exponential Model) 7-14, **7-30ff**
- Definition of 2-1
- Function 5-11, 5-25, 5-28
- Growth (see Growth) 9-1
- Incident Classification 2-3
- Logistics Related 2-3
- Maintenance/Supply Related 2-3, 2-13
- Mathematical Models of **5-1ff**
- Mission Related 2-2, 7-27
- Multi Mission/Mode 2-20
- Point Estimate, Calculation of (Binomial) 7-3, 7-17
- Point Estimate, Calculation of (Exponential) 7-9, **7-30ff**
- Preestablished Limits, Confidence Level for
 - Binomial Model 7-3
 - Exponential Model **7-12ff, 7-30ff**
- Repairable Systems of 2-1
- System Models
 - Functional 2-8
 - Mixed 2-7, 2-15, **10-8ff**
 - Redundant 2-5, 2-13
 - Series 2-5, 2-11, 2-12, 2-13, 2-19, 10-8
- Tests, Types of 7-1

RISK

- Calculation of, Binomial Model 7-21, **8-23ff, 8-28ff**
- Calculation of, Exponential Model 8-32ff
- Consumer's 6-5, 6-9, 6-10, **7-21ff, 8-3ff, 8-21ff**
- Producer's 6-5, 6-9, 6-10, **7-21ff, 8-3ff, 8-21ff**

SAMPLE SIZE 8-4, **8-23ff**

SAMPLING, LOT ACCEPTANCE 5-5, 5-15ff

SPARES DEW, UNSCHEDULED 2-4

SPECIFIED VALUE **6-5ff**, 6-9, 6-10, 7-30, 7-39, 7-42, **8-1ff**

STATISTICAL INDEPENDENCE 2-5

SYSTEM FAILURES 2-4

SYSTEM MODEL

- Series (see Models; Reliability)

TEST-ANALYZE-FIX-TEST (TAFT) 9-1, 9-9

TEST DESIGN

- Consumer's and Producer's Risk (see Risk)
- For Binomial Model **8-4ff, 8-21ff, 8-23ff, 8-28ff**
- For Exponential Model **8-7ff, 8-32, 8-33ff, 8-37ff**
 - MIL-STD-105D and MIL-HBK-108 8-8
 - MIL-STD-781C 8-8ff, 8-32**
 - Poisson Distribution Equations **8-13ff**
 - Graphical Poisson Solution Procedure 8-16
- Upper and Lower Test Values (see Test Values)

TEST EXPOSURE

- Adequate 6-6
- Definition of 6-7
- Excessive 6-7
- Inadequate 6-7
- Relationship to Confidence Intervals 6-6, 6-7
- Total 5-8, 6-6ff, 6-10, **8-32ff**

TESTS

- Continuous Time 7-2, 7-8, 8-7
- Discrete Time 7-2, 8-4,
- Failure Terminated **7-11ff, 7-42ff**
- Fixed Configuration 7-1
- Growth **7-1**
- Time Terminated **7-11ff, 7-30ff, 7-39ff**

TEST VALUES

- Lower (**MAV**) **6-5ff**, 6-9, 6-10, 7-30, 7-39, 7-42, **8-1ff, 8-21ff**
- Upper (**SV**) **6-5ff**, 6-9, **6-10**, 7-30, 7-39, 7-42, 8-1ff, **8-21ff**

TIME

- Administrative and Logistics Down 4-1
- Operating 4-1, 4-2
- Recovery 4-6
- Standby (Warm/Cold) 4-1, 4-2, 4-5
- System Down 4-1
- System Off 4-1
- System Up 4-1
- Terminated Test **7-11ff, 7-30ff, 7-39ff**
- Total (for Availability) 4-1, 4-2
- Total Maintenance 4-1, 4-2

UNBIASED ESTIMATE 6-1

UNIFORM MATHEMATICAL MODEL 5-4

UNSCHEDULED MAINTENANCE ACTIONS 2-3, 2-4

UNSCHEDULED SPARES DEMANDS 2-4

UPPER TEST VALUE (see Test Values)

- Discrimination Ration 8-8

ZERO FAILURE EVALUATION 7-39ff, **7-15ff**